

Name \_\_\_\_\_

(circle your TA discussion section)

- |   |  |
|---|--|
| ▷ <b>AD1</b> , TR 11:00-12:50, Andrew McConvey  | ▷ <b>ADJ</b> , TR 9:00-9:50, Kyle Pratt        |
| ▷ <b>AD2</b> , TR 9:00-10:50, Ben Wright        | ▷ <b>ADK</b> , TR 10:00-10:50, Kyle Pratt      |
| ▷ <b>AD3</b> , TR 1:00-2:50, Cassie Christenson | ▷ <b>ADL</b> , TR 11:00-11:50, Tigran Hakobyan |
| ▷ <b>ADA</b> , TR 8:00-8:50, Alexi Block Gorman | ▷ <b>ADM</b> , TR 12:00-12:50, Liz Tatum       |
| ▷ <b>ADB</b> , TR 9:00-9:50, Dakota Ihli        | ▷ <b>ADN</b> , TR 1:00-1:50, Xujun 'Henry' Liu |
| ▷ <b>ADC</b> , TR 10:00-10:50, Elizabeth Field  | ▷ <b>ADO</b> , TR 2:00-2:50, Tigran Hakobyan   |
| ▷ <b>ADD</b> , TR 11:00-11:50, Adam Wagner      | ▷ <b>ADP</b> , TR 3:00-3:50, Liz Tatum         |
| ▷ <b>ADE</b> , TR 12:00-12:50, Adam Wagner      | ▷ <b>ADQ</b> , TR 10:00-10:50, Dakota Ihli     |
| ▷ <b>ADF</b> , TR 1:00-1:50, Tsutomu Okano      | ▷ <b>ADR</b> , TR 9:00-9:50, Elizabeth Field   |
| ▷ <b>ADG</b> , TR 2:00-2:50, Xujun 'Henry' Liu  | ▷ <b>ADS</b> , TR 12:00-12:50, Tsutomu Okano   |
| ▷ <b>ADH</b> , TR 3:00-3:50, Mychael Sanchez    | ▷ <b>ADT</b> , TR 2:00-2:50, Anna Weigandt     |
| ▷ <b>ADI</b> , TR 4:00-4:50, Mychael Sanchez    | ▷ <b>ADU</b> , TR 3:00-3:50, Anna Weigandt     |

- You may work with other MATH 220 students. However each student should write up solutions separately and independently – nobody should copy someone else's work.
- You may use your notes, the textbook, or information found on my course home page.
- You may use a calculator only for basic arithmetic. In particular you should not use its graphing features.
- You are not allowed to search the Internet, use Wolfram Alpha, or use technology for anything beyond what is stated above.
- There is a higher expectation for the quality of your work on a take-home quiz. Everything should be written logically and legibly with sufficient work to justify each answer. Blank copies of the quiz are available on the course home page.
- Be sure that the pages are nicely stapled – do not just fold the corners.
- **The quiz is due at the beginning of your official lecture period on Friday, November 18.**
- **Note to TAs and Tutors – you should not help students with these specific problems or go over solutions until the quizzes have been collected for all of my lectures (9am, noon, 1pm).**

1. (3 points) A calculator gives an estimate of 5.098064112 for the value of  $\sqrt[3]{132.5}$  .

Using the techniques of linear approximation found in section 3.10, show that you are able to obtain a very similar estimate of 5.1 without the use of any technology.

2. (3 points) Suppose that  $f$  and  $f'$  are differentiable everywhere and the following conditions hold.

- $f(5) = 8$
- $f'(5) = 3$
- $f''(5) = 2$

Use the techniques of linear approximation found in section 3.10 to estimate the following quantities. Simplify and write your answers in decimal form.

(a)  $f(4.8)$

(b)  $f'(4.8)$

3. (4 points) Estimate the  $x$ -intercept on the graph of  $f(x) = 5x^5 - x^2 - 24$  using Newton's Method with an initial estimate of  $x_1 = 2$ . You should use this method 3 times in order to obtain estimates  $x_2$ ,  $x_3$  and  $x_4$ . You are only allowed to use technology for basic arithmetic. Use at least 5 decimal places in each estimate.